

PRINTER RUSH

(PTO ASSISTANCE)

TFW

Application : <u>10/6596/8</u>	Examiner : <u>Ricci</u>	GAU : <u>3714</u>
From : <u>TF</u>	Location : <u>IDC</u> FMF FDC	Date : <u>2-7-05</u>

Tracking #: 6040868 Week Date: 11-15-04

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: Please verify condition
code for serial No. 10/120666 IN
CONTINUING DATA.

THANK YOU

[XRUSH] RESPONSE: OK, continuing data has been corrected.

John A. Ricci
Primary Examiner

INITIALS: JR

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04